

# Common Medication Dosages

Tylenol is appropriate to use in children down to 2 months of age.

Dosing Chart for Children 2 Months to 2 Years of Age: Infants' Tylenol is now the same concentration as Children's.

Infants/Children's Liquid Tylenol (160 mg/5 ml)

Weight	Age	Infants'/Children's Liquid (160 mg/5 ml) Tylenol
6 - 11 lbs	2 - 3 months	1.25 mL
12 - 17 lbs	4 - 11 months	1/2 tsp = 2.5 mL
18 - 23 lbs	12 - 23 months	3/4 tsp = 3.75 mL
24 - 35 lbs	2 - 3 years	1 tsp = 5 mL

Advil is appropriate for children down to 6 months of age. Dosing information is listed below.

Infants' Advil® Concentrated Drops:

Weight	Age	Infants' Advil Concentrated Drops Dose (mL)
under 6 mo		not recommended
12 - 17 lbs	6 - 11 months	1.25 mL
18 - 23 lbs	12 - 23 months	1.875 mL

# Common Medication Dosages

Children's Advil® Suspension:

Weight	Age	Children's Advil® Suspension Dose (tsp)
under 24 lb	under 2 years	ask a doctor
24 - 35 lbs	2 - 3 years	1 tsp
36 - 47 lbs	4 - 5 years	1 1/2 tsp
48 - 59 lbs	6 - 8 years	2 tsp
60 - 71 lbs	9 - 10 years	2 1/2 tsp
72 - 95 lbs	11 years	3 tsp

Children's Advil® Chewable Tablets:

Weight	Age	Children's Advil® Chewable Tablets Dose (tablets)
under 24 lb	under 2 years	ask a doctor
24 - 35 lbs	2 - 3 years	2 tablets
36 - 47 lbs	4 - 5 years	3 tablets
48 - 59 lbs	6 - 8 years	4 tablets
60 - 71 lbs	9 - 10 years	5 tablets
72 - 95 lbs	11 years	6 tablets

# Common Medication Dosages

## Junior Strength Children's Advil® Chewables

Weight	Age	Junior Strength Children's Advil® Chewables Dose (tablets)
under 48 lbs	under 6 years	ask a doctor
48 - 59 lbs	6 - 8 years	2 tablets
60 - 71 lbs	9 - 10 years	2 1/2 tablets
72 - 95 lbs	11 years	3 tablets